Application/Control Number: 10/802,509 Page 2

Art Unit: 2176

EXAMINER'S AMENDMENT

 An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Steve Ashburn on 8/31/09.

The application has been amended as follows:

20. A method according to claim 15, wherein the method is implemented as client software and server software which interoperate when run on a client and a server computer, respectively, by: from the client computer, sending a request for the data report to the server computer; at the server computer, processing the request and sending information to the client computer for it to render the data report; in addition to determining the at least one association in response to a user's directed action, sending a request to the server computer with the determined association for the server computer to perform the search for a stored matching association related to stored presentation properties, and to retrieve the second data items; and from the server computer, sending the second data items and the presentation properties to the client computer for it to apply the related presentation properties.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to NATHAN HILLERY whose telephone number is Application/Control Number: 10/802,509 Page 3

Art Unit: 2176

(571)272-4091. The examiner can normally be reached on M - F, 10:30 a.m. - 7:00 $\,$

p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, W Doug Hutton can be reached on (571) 272-4137. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

you have queenene on access to the rimited riving splicing contact the Electronia

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nathan Hillery/

Examiner, Art Unit 2176